



PRODUCT NUMBER: 1010925  
**Viking V1 Multiple-Position Earmuff**

[Learn more about our products at howardleight.com](http://howardleight.com)



**Overview**

**Reference Number**

1010925

**Product Type**

Hearing Protection

**Range**

Earmuffs

**Line**

Noise Blocking Earmuffs

**Brand**

Howard Leight by Honeywell

**Brand formerly known as**

BILSOM

**Industry**

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

**Product Use**

Noise Blocking Earmuff

**Features & Benefits**

**Feature**

Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin. Now features Bilsom's patented Air Flow Control™ technology, delivering optimal attenuation across all frequencies, without increasing earcup size or weight. Alternative to cap-mounted earmuffs - wear with hard hats, face shields, respirators

and other PPE. Non-deforming outer headband withstands rough treatment in the toughest workplaces. Snap-in ear cushions make replacement quick and easy. Includes headband strap for better positioning when worn behind-the-head or under-the-chin. Dielectric construction suitable for all workplaces, especially electrical environments.

**Benefit**

The Viking™ series multiple-position earmuff gives workers flexibility to wear their earmuffs over-the-head, behind-the-head and under-the-chin. Viking earmuffs can be worn with other PPE, including hard hats, visors, face shields, respirators and welding shields. Plus, Viking's robust non-deforming dielectric construction withstands use and abuse, while protecting your workers in electrical environments. NOW FEATURING AIR FLOW CONTROL™ TECHNOLOGY

**Technical Description**

**SNR (dB)**

30

**H (dB)**

32

**M (dB)**

28

**L (dB)**

21

**Attenuation Data**

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)631252505001000200040008000Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)17.914.120.625.832.032.133.734.4Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)2.42.33.12.52.82.53.12.5Assumed Protection (dB) Angenommener (dB) Protection supposée (dB)15.511.817.523.329.229.630.631.9

**Earmuff Construction**

Plastic [or Dielectric]

**Other Material**

PP webbing, POM, LDPE, PA, EPDM, ABS, PUR-E, PP, PVC

**Dielectric**

Yes

**Color**

Black and Light Blue

**Batteries Needed**

None

**Weight (grs)**

191

**Headband Style**

Multiple-Position

**Sound Amplification**

No

**AM/FM Radio**

No

**Automatic Shut-Off Function**

No

**Audio Input Jack**

No

**Hi-Visibility**

No

**Certifications**

**E.C. Declaration of Conformity**

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

1486

**EC Attestation**

EC Attestation

**EC Attestation Number**

060353

**CE Certificate - Viking V1s**

[http://www.honeywellsafety.com/supplementary/documents\\_and\\_downloads/secured/hearing\\_protection/earmuffs/43788/1033.aspx](http://www.honeywellsafety.com/supplementary/documents_and_downloads/secured/hearing_protection/earmuffs/43788/1033.aspx)

## Additional Information

**User Manual**

User Manual

## Maintenance

**Life Cycle**

Cushions should be replaced periodically to retain maximum attenuation. Use the following as a guideline for replacement of ear cushions and insert foam. General use and wear - Ear cushions and foam inserts should be replaced at least every 6 months. Heavy use or wear in humid/extreme climates - Ear cushions and foam inserts should be replaced at least every 3 months. Cracking or leakage is visible - replace ear cushions and foam inserts immediately.

**Storage Information**

When not in use, the earmuffs should be stored in a clean dry container or locker. Do not use solvents or petroleum-based products. Do not immerse the earmuffs in water.

**Care Instructions**

Earmuffs are an important safety product and should be inspected regularly. Its use, care and maintenance are critical to its effective performance. Earmuffs and in particular ear cushions may deteriorate with use and should be examined at frequent intervals for cracking and leakage. If the ear cushions become hard, damaged or deteriorated, they should be replaced promptly using recommended Hygiene Kits. Earmuffs should be maintained by regular cleaning. Use a mild disinfectant solution. A gentle wipe is all that is required.

## Parts & Accessories

**Accessories**

Hygiene Kit - Packed in a plastic bag, including two ear cushions and two foam pads. Ref. # 1006018 for V1  
Beltclip - For carrying purpose. Old Ref. # 1000252 New Ref. # 1016730 Cool II Pads - Sweat absorbing pads. Ref. # 1000365 5-pair, Ref. # 1000364 100-pair  
Optisorb - cotton sleeve slides over earcup. Ref. # 3302101  
Polar Hood - Ref. # 1016870 Lg/XLg; Ref. # 1016871 Sm/Med

## Packaging

**EAN Code**

7312550109250