



PRODUCT NUMBER: 2232230

POLYTRIL™

Handling of fine objects in a greasy, damp or soiled atmosphere. General handling of building and public works, mechanical handling in the automotive industry.

Honeywell

Overview

Reference Number

2232230

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Iron and steel industry
- Maintenance
- Metal steel
- Mining and Quarrying
- Petro-chemical
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Water treatment
- Wood Industries

Product Use

Handling of fine objects in a greasy, damp or soiled atmosphere. General handling of building and public works, mechanical handling in the automotive industry.

Features & Benefits

Feature

White polyamide knitted glove

Grey oilproof nitrile coating on palm and fingertips

Elastic knitted wrist

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.
 The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.
 The ventilated back improves the glove's breathability.
 The knitted and elasticated wrist gives the glove good support.

RESISTANCE

The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils.

HYGIENE

Its grey coating makes the glove more soilproof, thus increasing its last.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-03 EEC Basic standards
 EN 388-03 Mechanical hazards

CHARACTERISTICS :

White polyamide knitted glove
 Grey oilproof nitrile coating on palm and tip of fingers
 Elastic knitted wrist

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

White and grey

Coating Type

Polyamide and nitrile

Length

24,5 cm

Thickness

0,25 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

7 to 10

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

Packaging Label

Tagging

CE HONEYWELL
 2232230 XX
 EN 420
 EN 388 : 4121

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/01/08/0008

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/01/08/0008

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.