



PRODUCT NUMBER: 2012899
OVERGLOVE LT 30 Kv

Article designed for the mechanical protection of electrician's gloves for high voltage work: 20 KV (Electrosoft glove 20 919 21) and 30 KV (Electrosoft glove 20 919 31).

Honeywell

Overview

Reference Number

2012899

Product Type

Gloves

Range

Electrical Protection

Line

Overgloves

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Energy or Electricity
- Maintenance
- Services
- Telecoms

Product Use

Article designed for the mechanical protection of electrician's gloves for high voltage work: 20 KV (Electrosoft glove 20 919 21) and 30 KV (Electrosoft glove 20 919 31).

Features & Benefits

Feature

- Yellow cowhide grain leather overglove
- Water-repellent and silicon treatment
- Gunn cut, thumb in one piece, gauntlet
- Velcro® adjustment strap on the back
- 150 mm split leather cuff sewed outside

Benefit

COMFORT

The Velcro® fastening tab provides the glove with good support.

RESISTANCE

The cowhide silicone grain leather ensures good flexibility, water repellency as well as good mechanical protection. Protects Electrosoft gloves against risks of cuts and tearing.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-2003 EEC Basic standards
 EN 388-2003 Mechanical hazards

CHARACTERISTICS :

Yellow cowhide grain leather overglove
 Water-repellent and silicon treatment
 Gunn cut, thumb in one piece, gauntletless
 Velcro® adjustment strap on the back
 150 mm split leather cuff sewed outside

Product Technology

Dipped Gloves

Glove/liner color

Yellow

Coating Type

Leather

Length

31,5 cm

Thickness

Palm : 0,8/1,1 mm - Cuff : 1,3/1,5

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

8 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

| | |
|---------------------------------|---|
| Abrasion resistance | 2 |
| Cutting resistance (Coupe test) | 1 |
| Tear resistance | 2 |
| Puncture resistance | 1 |

Packaging Label

Tagging

CE SPERIAN
 2012899 XX
 EN 420
 EN 388 : 2121

Certifications

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/12/06/0355

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/12/06/0355

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 50 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.