





Product Family Honeywell A800 Series

Affordable and economically priced! Sporty, wrap-around eyewear with unique temples with extra ""Flex"" built in for increased tension control.

Honeywell

Product Numbers & Ordering Information			
		Product Numbers	Details
		1015370	Clear Frame Clear Lens, Anti-scratch Coating
		1015368	Gray Frame TSR Gray Lens, Anti-scratch Coating
		1015350	Gray Frame I/O Silver Mirror Lens, Anti-scratch Coating
		1015369	Clear Frame Clear Lens, Fog-Ban Anti-fog Coating

Overview

Key Features

- Affordably priced and economical for your business
- Sporty, 9-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge
- Unique temples with soft, padded inserts down the length of the temple
- Extra "flex" built into the temple for increased tension control
- Available with scratch-resistant hardcoating or optional Fog-Ban® anti-fog coating

Recommended Industries/Use

Honeywell A800 Series

Hażgrdslture ● Construction ● Food Services ● Forestry ● Manufacturing ● Medical

Muricipal Services Particulates Stockage Metals Impact • Low Visibility

Regulations

- ANSI Z87+ -
- EC Category PPE: Category II, Standard EN166:2001 European Directives 89/686/EEC, Quality Assurance: ISO 9001/2000, Optical Class 1, F-Low energy impact

Historical Brand

Pulsafe, Willson, Honeywell

Warranty Information

LIMITED WARRANTY: Honeywell warrants that is products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Honeywell Safety Products distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Honeywell or the Honeywell Safety Products distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Honeywell product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elatomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Honeywell Safety Products should be used only on strict accordance with and adherance to the detailed instructions and warnings provided with the product.

Specifications

Range

Spectacles

Lens Type

Single

Lens Overall Width

• 145mm

Lens Material

Polycarbonate

Lens Coating

• Hardcoat, Fog-Ban® Anti-Fog Coating

Lens Thickness

• 2.1mm

Available Lens Tints

• Clear, TSR® Gray, Amber, Blue Mirror, I/O Silver Mirror

Replacement Lenses Available (Yes/No)

No

Rx Capable

No

Temple Material

Polycarbonate

Temple Length

• 115mm

Temple Set-back

• 35mm

Temple Style

• 1 piece

Spectacle Weight

• 21.5 grams

Honeywell A800 Series

Frame Material

• Frameless Uni-lens

Available Frame Colors

· Clear, Gray, Amber

Dielectric Frame (Yes/No)

Yes

Packaging

• 1/polybag, 10 pr./stocker, 200 pr./case

Country of Origin

China

Side Shield Material

N/A

MSDS Requirements

None

WHMIS Requirements

None

Harmonization Code

• 9004.90.0000

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

France: info-france.hsp@honeywell.com Export: info-export.hsp@honeywell.com

Belgium, Luxembourg, netherlands: info-benelux.hsp@honeywell.com Germany, Austria, Switzerland: info-germany.hsp@honeywell.com

Italy: info-italia.hsp@honeywell.com

United Kingdom, Middle East & SouthernAfricaBranch : info-uk.hsp@honeywell.com

Spain, Portugal: info-spain.hsp@honeywell.com

Sweden, Denmark, Finland, Iceland, Norway: info-nordic.hsp@honeywell.com

Estonia, Latvia, Lithuania: info-nordic.hsp@honeywell.com

Russia: info-russia.hsp@honeywell.com Hungary: info-hungary.hsp@honeywell.com Poland: info-poland.hsp@honeywell.com

© Honeywell International Inc.