



PRODUCT NUMBER: 2332255

## Check & Go Red PU 1

Handling of fine objects in a dry environment or slightly greasy or dirty objects.

**Honeywell**

### Overview

**Reference Number**

2332255

**Product Type**

Gloves

**Range**

General purpose

**Line**

Light & medium handling

**Brand**

Honeywell

**Industry**

- Administration
- Automotive and Part Manufacturer
- Aviation
- Maintenance
- Services

**Product Use**

Handling of fine objects in a dry environment or slightly greasy or dirty objects.

Helps to provide safety managers with visual recognition of the cut protection level

### Features & Benefits

**Feature**

100% Nylon knitted glove

Red PU coating on the palm and fingers

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back and PU coating optimise the glove's breathability.

RESISTANCE

Polyamide with its polyurethane coating provide excellent abrasion and tear resistance.

The PU coating ensures a good grip.

**SAFETY**

Color coding on top of the hand and coating color helps safety manager and workers to visually recognize the level of cut protection.

Non pilling, the polyamide is suitable for precision work.

The gloves are certified as "silicone-free" to ensure their use in painting.

## Technical Description

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standard

EN 388-2003 Mechanical risks

**CHARACTERISTICS**

100% Nylon knitted glove

Red PU coating on the palm and fingers

**Product Technology**

Knitted Coated

**Fiber**

Polyamide

**Gauge**

13

**Glove/liner color**

White

**Coating Type**

Polyurethane

**Coating Color**

Red

**Length**

25 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

6 to 11

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	3
Puncture resistance	1

### Packaging Label

**Tagging**

CE HONEYWELL

2332255 XX

EN 420

EN 388 : 4131

## Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/09/06/0223 EXT 03/04/2013

**EC Attestation**

 AET 2332255 Honeywell 2013

**EC Attestation Number**

0075/797/162/09/06/0223 EXT 03/04/2013

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned at 40°C without risk of damaging the mechanical performances.