

PRODUCT NUMBER: 2232278 **POLYTRIL TM SKIN**

Ligth handling, assembling in oily environment. Handling in wet and greasy environment. Assembly work, plumbing, joinery, construction, automotive industry, white and brown goods.

Honeywell

Overview

Reference Number

2232278

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Industry Automotive and Part Manufacturer
- Maintenance
- Offshore
- Transportation

Utilities

Product Use

Ligth handling, assembling in oily environment. Handling in wet and greasy environment. Assembly work, plumbing, joinery, construction, automotive industry, white and brown goods.

Features & Benefits

Feature

Polyamide knitted glove Ultra thin foam nitrile coating on the palm and fingers Open back Elasticated knitted wrist

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand as well as outstanding dexterity. The glove offers maximum comfort and added sturdiness.

POLYTRIL TM SKIN - 2232278

The ultra tight knitting gives the glove perfect support, limits the penetration of dirt and offers a good touch. The ultra thin palm coating optimises the gloves breathability and enables exceptional touch.

RESISTANCE

The nitrile coating provides oil and abrasion resistance and breathability.

SAFETY

Non pilling, the polyamide is suitable for precision work. The gloves are certified as "silicone-free" to ensure their use in painting.

HYGIENE

Black colour suitable for dirty applications and environments.

Technical Description

Description

CE CATEGORY: II Intermediary risks In accordance with standards: EN 420-2003 Basic standard EN 388-2003 Mechanical risks

CHARACTERISTICS:

Polyamide knitted glove

Ultra thin foam nitrile coating on the palm and fingers

Open back

Elasticated knitted wrist

Product Technology

Knitted Coated

Gauge

15

Glove/liner color

Black

Coating Type

Polyamide and nitrile

Length

25 cm

Thickness

0,75 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 10

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	3
Puncture resistance	1

Packaging Label

Tagging

CE HONEYWELL 2232278 XX EN 420 EN 388 : 3131

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/07/08/0220

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/07/08/0220

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging: 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, contact Honeywell Safety Products.

© Honeywell International Inc.