

PRODUCT NUMBER: 2332275 SKELETON Nit 3

Handling of heavy parts with cut risks in oily or greasy environment. Shock absober pad on top of the hand to protect metacarpian and fingers.

Honeywell

Overview

Reference Number 2332275

Product Type Gloves

Range Cut and Puncture Protection

Line Cut resistant

Brand Honeywell

Industry

- Automotive and Part Manufacturer
 Aviation
 Building and Construction
 Green Spaces
- Iron and steel industry
 Metal steel
 Minning and Quarrying
 Offshore
 Ship Building
- Wood Industries

Product Use

Handling of heavy parts with cut risks in oily or greasy environment. Shock absober pad on top of the hand to protect metacarpian and fingers.

Features & Benefits

Feature

Knitted glove in Spectra®.

Benefit

The knitting technique provides the glove with excellent fit and high dexterity. The Spectra® yarn offers very good resistance to cut.

Feature Black nitrile foam coating on palm.

Benefit

Nitrile coating provides good protection against oil and grease. The foam coating makes the glove more flexible than standard nitrile.

Feature

Rubber pad on top of the hand and fingers

Benefit

Q

Helps to protect metacarpian and fingers from shocks.

Technical Description

Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-03 EEC Basic standards EN 388-03 Mechanical hazards CHARACTERISTICS : Knitted glove in Spectra®. Black nitrile foam coating on palm. Rubber pads on top of the hand and fingers

Product Technology

Knitted dipped

Fiber

Spectra®

Gauge 13

Glove/liner color White & blue

Coating Type Nitrile foam

Coating Color black

Length 25 cm

Harmlessness In conformity with the European standards

Dexterity Class 5

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	3
Tear resistance	4
Puncture resistance	3

Packaging Label

Tagging CE HONEYWELL 2332275 XX EN 420 EN 388 : 4343

Certifications

E.C. Declaration of Conformity

EC Category PPE

EC Certificate Number 0075/797/162/07/14/0712 EXT 01/05/15

EC Attestation AET 2332275

Additional Information

User Manual UI 102 User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs. Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions please contact Honeywell safety products

© Honeywell International Inc.